

# INDEX MAPS.

## T. 1 S. R. 10 W. 2<sup>d</sup> Mer.

50	63 6	62 5	62 4	61 3	60 2	60 1	36
50	7	8	9	10	11	12	36
51	18	17	16	15	14	13	37
53	19	20	21	22	23	24	43
54	30	29	28	27	26	25	43
60 67	31	32	33	34	35	36	57

## T. 2 S. R. 10 W. 2<sup>d</sup> Mer.

67	66 6	66 5	65 4	65 3	99 2	99 1	65
100	7	8	9	10	11	12	70
87	18	17	16	15	14	13	71
87	19	20	21	22	23	24	90
87	30	29	28	27	26	25	90
87	31	32	33	34	35	36	92

The figures on the lines refer to the page.

# Township N. 1 South of Range N. 10 West 2<sup>nd</sup> Mer

South 1<sup>st</sup> mile from base line on West bound. of military lands

17.50 To old corner of Lot

57.48 Old corner

80.00 Set a stake; Land level Bush Timber

South 2<sup>nd</sup> mile on the West boundary of military lands

17.60 Old corner

80.00 Put a stake. 50 chains wide fall; rich soil; first 30 chains level

South 3<sup>rd</sup> mile on the West boundary of military lands

17.90 To the old corner, supposed to be the South West corner of the military lands: from which a Sugar tree 12 in dia bears S 85 W. 18 miles dist; mark a Buck 20  
 ~ ~ ~ N 64 E 30 ~ ~ ; then run from this post;

East 4<sup>th</sup> mile on South boundary of the military lands

25.48 Old lot corner

26.70 Road to Red banks

50.80 2<sup>nd</sup> corner

75.80 3<sup>rd</sup> corner

80.00 Put a stake Land level good soil; Timber Buck do

East 2<sup>nd</sup> mile on South boundary of military lands;

20.75 4<sup>th</sup> Post

45.74 5<sup>th</sup> Old corner, from which by the Plan there ought to be a line run South to include a lot which separates from the main tract, but no line runs from the post

70.65 6<sup>th</sup> lot Post

79.30 a corner from which there is a line runs South; Run South on this line:

South

T. N. 1 S. R. N. 10 N. 2<sup>nd</sup> Mo

25.00 A Brook 8 links wide; Course S.E.

32.83 To corner of lot; then turned down East; took bearings at last post; from which a Syc 24 in dia bears N 73 W. 20 links dist; under Hick 10 " " " S 43 E. 32 " " " W. 1000 + Improvement to ch. S.E.

East On South boundary of this lot from last post  
 16.60 To a corner then the line runs South; quit October 4<sup>th</sup>. 1804

South On East Boundary of Sec 1 T. 1 S. R. 10 N

4.00 To a Brook 6 links wide; Course N.E.

11.70 " " " 6 " " " N 60 E

14.80 W. Oak 30 in dia

24.90 A Brook 8 links wide; Course N.E.

40.00 Set 1/4 sec. post from which a Buck 13 in dia bears S 33 E. 32 links dist; under a Gum 17 " " " N 11 E. 27 " "

53.84 A Poplar 24 in dia

69.80 " " 30 " "

80.00 Set Post corner of Sec 10 & 12 T. 1 S. R. 10 N from which a Hick 20 in dia bears N 21 E. 21 links dist; & a W. Oak. 24 " " " S. 13 E. 32 " " " Many lands, good soil; Poplar, Oak, Gum &c

South On the East Boundary of Sec 12. T. 1 S. R. 10 N

4.90 A Run 6 links wide; Course S.E.

9.90 " " 3 " " " N.E.

33.76 A Poplar 36 in dia

40.00 Set 1/4 sec post from a Poplar 30 in dia bears N 29 W. 5 links dist; under a Gum 18 " " " South 19 " "

52.17 A Buck 10 in dia

74.50 A Brook 10 links dist; Course N.E. comes from Cash

78.50 W. Oak. 22 in dia





I N<sup>o</sup> 1 S. Y. R. N<sup>o</sup> 10 N. 2<sup>nd</sup> 7<sup>th</sup>

- 3.50 Patoka Creek Course S. W.  
 5.50 Across Patoka Creek; diado nut  
 15.23 An Elm 12 in. dia.  
 31.00 A<sup>W</sup>ork 15 links wide; Course West  
 35.00 Line leaves the rim Course South.  
 40.00 Put 1/4 sec post from which a Buck 18 in dia bears  
 N 39 W. 31 links dist; and a 12 " " "  
 S 61 E. 35 " " "  
 51.00 Patoka Creek Course West  
 60.00 Leaves creek Course S 8 W  
 69.50 A<sup>W</sup>ork from North; Patoka Creek 20 links South  
 74.50 Mouth of a Run 6 links wide; from North; Patoka  
 turns S 70 W.  
 77.57 A<sup>W</sup>ork Oak 20 in dia bears an old sight tree of a  
 survey the corner of which bears N 75 E. 153 links dist;  
 80.00 Put post corner of Sec. 14, 15, 22, & 23 from which a Buck  
 12 in dia bears N 48 W. 29 links dist; and a Mulberry  
 8 " " " N 74 E. 11 " " " Sande for bottom  
 Timber Buck Elm & c

West Return Sec. 15 & 22 I 1 S. Y. R. 10 N.

- 26.73 A<sup>W</sup>ork 12 inches diameter  
 40.00 Put post from which a<sup>W</sup>ork Oak 12 in dia bears S 87 E.  
 45 links dist; and a Button nut 12 " " " S 20 W.  
 16 " " "  
 58.80 A<sup>W</sup>ork nut 14 in dia  
 75.50 A<sup>W</sup>ork Oak 24 " "  
 80.00 Put post corner of Sec. 21 & 22 15 & 16 from which a  
 Run 40 in dia bears S 33 E. 19 links dist; and a  
 Hornbeam 7 " " " N 22 W 15 " " " Sande lower  
 slashy, Timber Maple & Buck & c

West Return Sec. 16 & 21 I 1 S. Y. R. 10 N.

- 7.84 A<sup>W</sup>ork 24 in dia  
 40.00 Set 1/4 sec post from which an Elm 22 in dia bears  
 S 86 E. 38 links dist; and a Hawth 10 " " "  
 N 67 W 11 " " "

T. N. 1 S. R. N. 10 1/4. 2<sup>nd</sup> M<sup>ile</sup>

60.00	A Cornfield
71.00	across field
80.00	Put a post corner of Sec. 16, 17, 20 & 21 from which a Sugar 12 in dia bears N 24 E 50 links dist; and an Ash 16 " " S 72 E 49 " " Sande trees Timber Buck, Ash, Elm & o & c
North	Between Sec. 16 & 17. T. 1 S. R. 10 1/4
11.70	A Sugar 24 in dia
1820	A Buck 10 links more Corner East
40.00	Put a 1/4 sec post from which a Buck 9 in dia bears S 45 W 10 links dist; and a Ho 10 " " N 68 E. 30 " "
44.46	Intersected E. Boundary of Military Lands; 11 ch. 20 links dist; West of a corner noted 79.30 on E. Boundary of Military lands on 2 <sup>nd</sup> mile; Put post corner of Sec. 16 & 17 from which a Buck 24 in dia bears S 68 E 46 links dist; and another Buck 9 " " S 13 W 28 " " Very rich lands; Timber Buck, Sugar, Ash
East	On 3 <sup>rd</sup> mile on E. Boundary of Military lands
31.50	Older corner
40.80	Corner lately set about 1 year
80.00	Put a stake; on slashy grounds;
East	on 4 <sup>th</sup> mile on South Boundary of Military Lands
13.90	8 <sup>th</sup> older corner, year old
38.56	9 <sup>th</sup> " "
58.00	Road leading to Red banks; quit October 25 <sup>th</sup>
61.00	A corner from which a line runs South
80.00	Put 4 <sup>th</sup> mile stake on slashy grounds
East	5 <sup>th</sup> mile on South Boundary of military lands
9.00	Older corner.
34.14	A corner which is the S.E. corner of the military lands then run North on the Militia line; Set a post at this corner; and marked a Qu plan, from which a line

T. N<sup>o</sup> 1 S. R. N<sup>o</sup> 10 N. 2<sup>nd</sup> M<sup>o</sup>

20 mi air bears N 37<sup>th</sup>. 3 miles dist; and a Poplar  
40<sup>th</sup> n n S 35<sup>th</sup>. 40 n n Sand slashy  
rich lands;

North

22.70 At work 6 miles wide; fence East

33.60 n n 10 n n n n

41.50 To corner where the line again turns East just past  
from which a Sugar 12 mi air bears S 40 E 46 miles  
dist; and an Elm 14 n n N 32<sup>th</sup> 21 n  
n

North Between Sec. 15 & 16 T. 1 S. R. 10 N

25.00 A. Elm 30 mi air

35.00 Intersection of Boundary of Militia lands 11. ch<sup>o</sup>  
34 miles West of the 3<sup>rd</sup> mile post from which we set  
on the S. Boundary of Militia lands, just past cor-  
ner of Sec. 15 & 16 T. 1 S. R. 10 N from which a Gum  
24 mi air bears N 23<sup>th</sup>. 26 miles dist; & an Elm  
24 n n S 66<sup>th</sup>. 49 n n This distance  
Slashy lands; Timber Elm, Maple &c

North Between Sec. 15 & 14 T. 1 S. R. 11 N.

25.50 Intersection South Boundary of Militia lands 11 miles  
West of 4<sup>th</sup> mile post set on South Boundary by me  
just past corner to Sec. 14 & 15 from which a Buck  
8 miles air bears S 62<sup>th</sup>. 14 miles dist; and a L.  
9 n n S 43 E. 23 n n Sandogordo  
& herb Timber Buck Ash & Poplar.

East On South Boundary of militia lands from first set at  
41.50 Running North

25.80 An Old militia corner

50.12 S.E. corner of militia <sup>lands</sup>; just past and marked per  
plan; from which a Buck 10 mi air bears S 37<sup>th</sup>. 6.6 the  
distance and a Sugar 12 n n N 39<sup>th</sup>. 50 n  
n This distance level rich & Timber Sugar &c

T. No 1 S.R. No 10 W 2<sup>nd</sup> Mile

North on East Boundary of Militia lands	
40.00	An Improvement, no corner found.
60.00	W Brook 10 links wide; Course N.
80.00	Set a stake; Sand-hill good soil; Timber Birch, Sugar ash, Oak, & some maple
North 2 <sup>nd</sup> mile on East Boundary of Militia lands.	
19.50	W Brook 6 links wide; Course N.
22.80	" " " " " " N.
60.56	Adrain " " " " N.
77.70	" " " " " " N.
80.00	Set a stake; Sand heavy; Timber Birch, Poplar, Oak, & Hickory
North 3 <sup>rd</sup> mile on East Boundary of Militia lands	
2532	Intersect base line 54 links East of $\frac{1}{4}$ Sec 36 between Sec 36. Town 1. N. & Section 1 T1 S. put post from which a line 12 in dia bears S18E. 19 links dist, to a Sugar 10 " " " N12E. 21 " "
31.70	W Brook 6 links wide; Course S.W.
40.00	Expected to find a corner & a line running East & West place, but can find neither
47.00	W Brook 8 links wide; Course N.E.
54.00	A Drain 6 " " " N.E.
80.00	And no corner to be found; Good ridge lands.
North 4 <sup>th</sup> mile on East boundary of Militia lands	
1.00	W Brook 6 links wide; Course N.E.
26.27	Intersect line between Sec. 25 & 36; T1 North, 914 links East of $\frac{1}{4}$ Sec 36. Put post corner of Sec 25 & 36 T1 N. N. 10 W from which a line 16 in dia bears S53 N. 5 links dist, and a Back 12 " " S62 E. 23 " "
40.54	Intersect North Boundary of Militia lands as followed East by me; Put no post expecting that the two lots separating from the main body at the N.E. corner are yet to be run; as I can find no line but the st.



## T. N. 1 S. R. No 10 N. 2nd Mer

Boundary and some particularities as some of the lines have been but lately run; and others 7. 5 or 8 years old, from which I conclude the survey is not yet complete

---

West	Between Sec. 1 & 12 T. 1 S. R. 10 N.
3.70	A Drain 6 miles wide, Course South
9.57	A Poplar 24 in. dia
30.52	An Elm 12 " "
40.00	Set $\frac{1}{4}$ sec post from which a Whitey 14 in dia bears N 57 E. 12 miles dist; and a Buck 12 " " S 12 E. 13 " "
41.86	A Buck 12 in dia
45.64	A Brook 6 miles wide; Course S. W.
48.40	Intersects East Boundary of Militia lands 245 miles North of Mt Mile Post; Put post corner of Sec. 1 & 12 from which a Buck 24 in dia bears S 54 E. 6 miles dist; and a Whitey 12 " " N 46 E. 36 " distant Ridge lands; muddling soil; Timber Buck, Oak, Poplar & Dogwood & Spruce

---

West	Between Sec. 12 & 13 T. 1 S. R. 10 N.
3.80	AN Oak. 12 in dia
8.40	Bounds of a Run from N. E. corner N. W.
15.50	A Brook 12 miles wide; Course South.
23.42	AN Oak 24 in dia
40.00	A Butte mt. 12 " " for $\frac{1}{4}$ sec cor.
56.84	Intersects East Boundary of Militia lands 24 miles N of S. E. corner; Put post corner of Sec. 12 & 13 from which a B. Oak 24 in dia bears S 83 E. 34 miles dist; and a B. Walnut 16 " " N 4 E. 19 " " Rich Lands; Timber Buck, Ash, Elm, &c

---

North	Between Sec. 13 & 14 T. 1 S. R. 10 N.
1.00	To Patoka Creek, Still water; Course West
2.80	Course Patoka
14.00	A Syc 24 in dia
21.50	A Brook 15 miles wide; Course S. W.



## T. No. 9. DR. No. 10 N. 2nd Mo.

- 40.00 Set 1/4 sec post from which a Sugar 12 in dia bears  
N 48 W 39 links dist; under a W. Oak 24 in ~ ~  
S 80 E. 45 in ~ ~
- 53.12 A Gum 14 in dia
- 57.75 Intersite S. corner of Militia lands 20 ch. 54 links  
West of S.E. corner of militia lands; Set corner of  
Section 13 & 14 from which an Elm 16 in dia bears  
S 2 E. 16 links dist; under a W. Walnut 10 in ~ ~  
S 74 W. 30 in ~ ~; . Sandalwood & Ashy; Timber  
Ash, Buck, & Sugar; Rich soil; October 26 1804

- South On East Boundary of Sec 24. T. 1 DR 10 N.
- 22.00 A Sugar 12 in dia
- 30.00 Bank of Potok from gentle descent 220 links wide;
- 40.00 Set 1/4 sec post from which a Sugar 12 in dia bears  
N 45 E 24 links dist; under a 10 10 in ~ ~  
S 77 W 28 in ~ ~
- 42.80 An Elm 24 in dia
- 68.00 A Gum 16 in ~ ~
- 80.00 Set post corner to Sec. 24 & 25 T. 1 DR. 10 N. from which  
a Hickory 12 in dia bears N 10 E. 13 links dist; under an  
Elm 36 in ~ ~ South 28 in ~ ~ Sandalwood  
and Ashy; Timber Elm, maple, Oak, & Hickory

- South On East Boundary of Sec. 25 T. 1 DR 10 N.
- 22.22 W. Oak 12 in dia
- 40.00 Set 1/4 sec post from which a maple 12 in dia bears S.  
84 W. 15 links dist, under an Elm 12 in ~ ~ S  
27 E. 11 in ~ ~
- 56.62 W. Oak 30 in dia
- 70.20 W. Oak 12 in ~ ~
- 80.00 Set post corner to Sec 25 & 36 T. 1 DR 10 N. from which  
a W. Oak 18 in dia bears N 33 W. 26 links dist; under a  
Hickory 24 in ~ ~ S 47 E. 11 in ~ ~ Sandalwood  
and Swampy; Timber W. Oak, Elm & Hickory

West Bottom Sec. 25 & 36 T. 1 DR. 10 N.

J. N<sup>o</sup> 1. S. G. R. N<sup>o</sup> 10 N. 2<sup>nd</sup> Mile Nw

- 40.00 Put temp<sup>y</sup> 1/4 Sec post; I shall on all random lines have blanks at the proper place to put in the bearings after correcting the lines; Put post at average distance from which a N. Oak 15 in dia bears East. 16 miles distant and a Sugar 12 " " " N 62 W. 50 " "
- 80.00 Put temp<sup>y</sup> post; Land level wumpy; Timber B. Oak, Hick<sup>y</sup>, Swamp Oak Elm &c

South Between Sec. 23 & 24 J. 1 S. R. 10 N.

- 2.50 Putoka Creek; Off set 220 miles West
- 10.50 Leave post from East
- 22.95 On Elm 12 in dia
- 31.54 N. Oak 24 " "
- 40.00 Put 1/4 Sec post from which a Hick<sup>y</sup> 10 in dia bears N 43 W. 15 miles dist; and a Poplar 48 " " " N 56 E. 48 " "
- 42.53 On Elm 40 in dia
- 80.00 Intersects E. & W line 50 miles East of post; Put post at intersecting from which a Maple 18 in dia bears N 64 E. 24 miles dist; and a Hick<sup>y</sup> 20 " " " N 71 W. 24 " " Flat slashy land; Timber Elm, Maple, Ash.

South Between Sec. 25 & 26 J. 1 S. R. 10 N.

- 6.60 N. Oak 24 in dia
- 19.00 On Elm 12 " "
- 40.00 Put 1/4 Sec post from which a Sugar 24 in dia bears S 6 E. 9 miles dist; and a Gum 12 " " " West 24 " "
- 61.25 A Gum 18 in dia
- 68.50 A Spring Brook 4 miles wide Cross West
- 80.00 Intersects E. & W line 100 miles East of post. Put post corner to Section 25, 26, 35 & 36 from which a N. Oak 12 in dia bears S 58 W. 25 miles dist; and a N. Oak 12 " " " S 68 E. 41 " " First 3/4 of this mile flat slashy land; last 1/4 rich soil

## T. No 1 S.R. No 10N. 2nd Mo.

West	On Random line between Sect. 26 & 35 T1SR10N
11.76	a fine spring run lower N.W.
21.00	" " " " " N.E.
40.00	Put post for 1/4 section from which a Gum 10 in dia bears S10W 24 links dist; and a Hickory 12 in " " N11W 30 " "
80.00	Put temporary post. Beautiful sage lands; Oak, Sugar, Ash, Elm, & some Gum,
West	On Random between Sect. 23 & 26
40.00	Put 1/4 Sec post at average distance from which a W. Oak 14 in dia bears S75W 17 links dist; and an Elm 12 in " " N21W 8 " "
80.00	Put temporary post Sandhills & slacks; Elm, B. Oak, Hickory &c Nov. 27. 1804.
South	Between Sect. 22, 23 T1SR10N.
1.20	To a Potatoe Creek Wash still water.
3.40	Across Creek
18.30	W.B. Oak 12 in dia
40.00	Put post for 1/4 Sec corner from which a Gum 18 in dia bears N41E 31 links dist; and a Gum 26 in " " S69W 21 " "
47.60	W. Oak 30 in dia
80.00	Intersects 10 links East & 12 links North of temporary post; Put post corner to Sect. 22, 23, 26, & 27 T1SR10N. from which a Gum 24 in dia bears N6E 14 links dist; and a Ho 30 " " " S76W 19 " " That slacks lands
South	Between Sect. 26 & 27 T1SR10N
21.60	W.B. Oak 24 in dia
33.30	Aspen Oak 30 in dia
40.00	Put 1/4 Sec post from which a Buck 12 in dia bears N76W 19 links dist; and a B. Oak 30 in " " South 29 " "
46.63	W. Elm 15 in dia

## T. N. 1 S. R. N. 10 W. 2nd Mer

- 58.72 W. Oak 30 in dia  
 80.00 Antedents 30 links or 8 (most of post (temporary post))  
 Put post corner of Sec. 26, 27, 34 & 35; from which a  
 Hickory 10 in dia bears N 19 W. 32 links dist; and  
 a Gum 10 " " " E. 41 W. 39 " "  
 Nt p flat Elm & Maple; East p more flat but  
 better soil; Timber Oak, Sugar, Hickory, Ash, Elm,  
 & Gum & Dogwood;

- West On a Random line between Sec. 27 & 34 T. 1 S. R. 10 W.  
 37.00 W. End of a Run from N.E. to N.W.  
 40.00 Put 1/4 post from which a Hickory 14 in dia bears  
 N 59 E. 22 links dist; and a W. Oak 14 " "  
 N 67 W. 18 " "  
 53.25 W. Brook 10 links wide (course North  
 55.00 " " 10 " " " South  
 59.00 " " 10 " " " N.W.  
 77.00 W. Brook 6 " " " N.  
 80.00 Set temp. post: over ridge land good soil; Timber  
 Oak, Poplar, Hickory, Sugar &c.

- West On a Random line between Sec. 22, & 27 T. 1 S. R. 10 W.  
 13.50 To Potokafunk, South, made note 200 links  
 distant;  
 40.00 Put 1/4 Sec post from which a Sugar 12 in dia bears  
 N 75 W. 29 links dist; and a Beech 10 " "  
 S 40 E. 22 " "  
 80.00 Put temp. post; this mile flat & Beech, some Hickory  
 Gum &c

- South Between Sec. 21 & 22  
 2.75 On Elm 18 in dia  
 20.22 W. Hickory 24 " "  
 40.00 Put 1/4 Sec post from which a Beech 16 in dia bears  
 N 52 W. 26 links dist; and a Sugar 12 " "  
 S 72 E. 41 " "  
 43.22 W. Oak 28 in dia

75.46 W ash 14 in dia  
8000 Intersects 18 miles South & 60 miles East of tump  
Post; Put post corner to Sec. 21, 22, 23 & 28 J. 1 D.  
R. 107 from which a B. Oak 12 in dia bears N 78 E 24  
miles dist; made a Co 12 in - - S 21 N 20  
miles dist; Land, rock and rich; Timber Ash, Oak &  
Sugar Maple & walnut.

South Bottom Sec. 27 & 28 J. 1 G. R. 107. 2<sup>nd</sup> M  
1946 Sugar 12 in dia  
24 53 W Oak 18 in - -  
40.00 Put post for 1/4 Sec for from which a Buck 16 in dia  
bears S 11 E 34 miles dist; made a Co 12 in - -  
N 58 W 29 in - -  
4650 Patoka Creek, Lewis Neck, dead water 200 ft wide  
63.00 W ash 28 in dia  
70.50 a Buck 24 in - -  
8000 Intersects 20 miles South & 30 miles East of tump  
Post; Put post corner to Sec. 27, 28, 34 & 33 from  
which a Buck 30 in dia bears N 25 W 18 miles dist  
made a Sugar 12 in - - S 61 E. 39 in - -  
North of Patoka flat & Buck timbered bottom  
South of creek very & very rich; Timber & Buck  
Sugar, Ash, and some walnut; Spice, Dogwood  
& Pawpaw

West On Kansas line between Sec. 28 & 33 J. 1 D. R. 107  
19.00 a Grass house N.  
22.00 in - - - -  
23.00 in - - - -  
40.00 Put 1/4 Sec post from which a Walnut 20 in dia bears  
N 86 W 26 miles dist; made an Elm 15 in - -  
S 2 W 11 in - -  
63.00 Head of a Spring. N.W.  
80.00 Put tump post; many lands very rich soil; Timber  
Walnut, Sugar, Ash, Elm & Buck



## J. No 1 S. R. No 10 W. 2nd Mer.

- West On Random line between Sec. 21. & 28 J. 1 DR 10 W  
 40.00 Put  $\frac{1}{4}$  Sec. from which a Sugar 10 in dia bears  
 West 6 links ash; under a Buck 12 in - -  
 N 11 W 35 in - -  
 63.00 A Brook 10 links; Course N. W. 10 links wide Red  
 Bank trees  
 68.00 Same brook Course W.  
 80.00 Put temp. y. post at Sande. hole Timber Buck, Sugar  
 Walnut, Ash, Poplar, & c Rich soil.

- South Between Sec. 20. & 21 J. 1 DR. 9 W  
 8.00 A Walnut 14 in dia  
 20.40 A Poplar 40 in - -  
 36.27 " " 20 in - -  
 40.00 Put  $\frac{1}{4}$  Sec. from which a Sugar 12 in dia bears  
 N 77 W. 20 links ash; under a Poplar 40 in - -  
 N 82 E. 29 in - -  
 45.80 A Brook 3 links wide; Course S. E.  
 47.50 A Gum 14 in dia  
 76.67 A B. Oak 30 in - -  
 80.00 Intersects 8 links S. & 20 links East of temp. y. post  
 Put post corner to Sec. 20, 21, 28, & 29 J. 1 DR 10 W  
 from which a Buck 8 in dia. bears N 11 E. 48 links  
 ash; under a Do 20 in - - S 17 E. 45 in  
 " Many lands and very rich; Sugar, Poplar  
 Elm Walnut & some Buck, Oct. 28. 1804

- West Between Sec. 20 & 29 J. 1 DR 10 W  
 13.00 A Brook 10 links wide; Course S. E. fine water  
 35.80 A Brook 6 in - - - S. E.  
 40.00 Set  $\frac{1}{4}$  Sec. post from which a W. Ash 9 in dia. bears  
 S 67 E. 36 links ash; under a Buck 9 in - -  
 S 14 W. 34 in - -  
 80.00 Set temp. y. post Sande. hole rich soil; Timber Buck  
 Sugar, Ash, Elm, Walnut & Locust & c

- West Between Sec. 17 & 20 J. 1 DR 10 W

T. No 1 S. M. No 10 W 2<sup>nd</sup> Mo.

- 23.10 A Drain Course S 20 E.  
 24.00 A Poplar 36 in dia  
 40.00 Put 1/4 Sec post from which a Buck 22 micks dia bears  
 S 59 1/2 E. 34 micks dist; under L 0 24 u ~ ~  
 N 42 W. 65 u ~ ~  
 41.50 A Brook 10 micks wide; Course S 40 E fine water  
 45.11 A Sugar 14 in dia  
 60.42 A Buck 12 u ~ ~  
 71.60 A Drain Course  
 73.75 A Sugar 15 in dia  
 80.00 Put post corner of Sect. 17, 18, 19, & 20 T. 1 R. 10 N.  
 from which a W. Oak 24 in dia bears S 72 1/2 W. 9 micks  
 dist; under W. Elm 12 u ~ ~ S 83 E. 31 u ~ ~  
 ~ Good, low ridge; Timber Buck, Poplar, &c

- North Bottom Sect. 17 & 18 T. 1 R. 10 N.  
 3.30 A Drain Course N W  
 6.70 A Buck 14 in dia  
 29.58 A Poplar 40 u ~ ~  
 40.00 Set 1/4 Sec post from which a Buck 12 in dia bears  
 S 38 E 18 micks dist; under L 0 12 u ~ ~  
 N 9 W. 65 u ~ ~  
 52.54 Intersects South Boundary of Mitika lands 10 ch. &  
 20 micks dist; post of 1/4 mile post Set on South  
 Boundary; Put post corner to Sect. 17 & 18 from which  
 a Sugar 18 in dia bears N 22 W. 7 micks dist; under  
 Buck 24 u ~ ~ S 31 E. 39 u ~ ~ Timber  
 Buck Poplar, some Sugar &c rich soil

- West Bottom Sect. 18 & 19 T. 1 R. 10 N.  
 17.50 A Brook 20 micks wide; Course S 20 E.  
 22.54 A Oak 18 in dia  
 24.40 A Brook 8 micks wide; Course S 30 E.  
 40.00 Set 1/4 Sec post from which a Buck 20 in dia bears N 81 E  
 27 micks dist; under Buck 14 u ~ ~ S 51 W  
 21 micks dist

## J No 1 J. H. No. 10th 2nd Mo.

- 41.50 W Brook 10 hicks wide; Course South  
 54.23 Aljun 18 hicks dia  
 67.50 W Brook 12 hicks wide; Course St.  
 72.00 Lenses run, Course South.  
 77.00 W Main Course S.E.  
 80.00 Put temp. post Maryland; Timber Y Buck, Sugar  
 Poplar, Ash, Gum, Cord Soil;

South Bottom Sec. 6. J 1 DR 10th. & Sec. 1. J 1 DR 11th.

- 5.75 W Brook 8 hicks wide; Course West  
 19.16 W Buck 14 in dia  
 38.35 Aljun 24 " "  
 40.00 Put 1/4 Sec post from which a Buck 12 in dia bears  
 N 3 E. 28 hicks dia; and also L 0 12 " " "  
 S 8 E. 15 " "  
 46.00 Spring brook West  
 71.50 W Buck 24 in dia  
 80.00 Put post corner to Sec. 6 & 7 J 1 DR. 10th and also Sec  
 1 & 2. J 1 DR. 11th. from which a mulberry 12 in dia  
 bears N 8 W. 10 hicks dia; and also E 1/4 24 " "  
 " N 49 W. 19 " " Prints of Mills leading  
 West; good soil; Timber Y Buck, Sugar, Ash, Walnut  
 and also Elm, Spruce.

East Bottom Sec. 6 & 7 J 1 DR. 10th.

- 15.84 Aljun 30 in dia  
 18.40 Intersected N. Boundary of Militia land, put post  
 corner to Sec. 6 & 7 from which a Buck 24 in dia  
 bears N 47 E. 27 hicks dia; and also L 0 14 " "  
 " S 20 W. 31 " "

South Bottom Sec. 7 J 1 DR 10th. & Sec. 12 J 1 DR 11th.

- 11.18 A Poplar 18 in dia  
 32.63 W Buck 12 " "  
 40.00 Put 1/4 Sec post from which a Buck 12 in dia bears  
 N 88 W. 21 hicks dia; and also Y Buck 14 " "  
 N 78 E. 43 " "

J. No 1 SR. No 10 N. 2<sup>nd</sup> Mo.

72.73 AM Walnut 30 in dia

80.00 Put post corner to Sect. 7 &amp; 18 T. 12 R. 10 N. &amp; Sec. 12 &amp; 13

T. 12 R. 11 N. from which a Mulberry 12 in dia bears

S 67 N. 11 links dist; and a W. Walnut 10 in dia

N 51 E. 42 in. Landerick; Jimmie Buck, Ligon

East Bottom Sect. 7 &amp; 18 T. 12 R. 10 N.

8.81 Intersects West Boundary of military land 150 miles  
South of Lee under mile stake; Put post corner to Sect.  
7 & 18 from which a Horse Ash, 24 in dia bears S 82 E.  
21 links dist; and a Sugar 12 in dia N 57 N.  
38 in

South Bottom Sect. 13 T. 12 R. 10 N. &amp; Sect. 18 T. 12 R. 10 N.

12.00 A Brook 10 links wide; corner S E.

22.70 " " " " " " " " S N

30.35 Second Brook corner S E.

38.23 AM Oak 24 in dia bears

40.00 Put 1/4 Sec post, from which a Buck 12 in dia bears

S 66 N. 19 links dist; and a Do 10 in dia

N 78 E 10 in

48.23 A Buck 10 in dia

67.73 " " 10 in

69.50 Becomes Run 6 links wide; corner S N.

77.00 Intersects E. &amp; W line between Sect. 18 &amp; 19 T. 12 R. 10 N.

4 links E of post. Put the post at intersection, from  
which an Elm, 12 in dia bears N 10 N. 27 links dist;

and a Buck 10 in dia S 63 E 37 in

Haw-Land; Jimmie Buck, Ligon, Ash, Spruce, &c  
Kick out; good water.

South Bottom Sect. 19 &amp; 20 T. 12 R. 10 N.

South Bottom Sect. 19 &amp; 20

656 AM Ash 28 in dia

## J. N. 1 S.M. N. 10 W. 2nd 7m

- 10.60 At Brook 4 links mid; course S 31 W  
 18.80 a n 8 n n n West  
 21.52 Asugar 20 in dia  
 40.00 Put 1/4 Sec post from which a Buck 10 in dia bears  
 S 81 W. 16 links dist; under a Sugar 16 n n n  
 N 26 E. 56 n n  
 44.00 Asugar 16 in dia  
 56.70 At Brook 3 links mid; course S.M.  
 61.10 At Oak 24 links dia  
 80.00 Intersets East N. line 20 links N. & 40 links East  
 off post Put post corner to Sec. 19, 20, 29, & 30.  
 from which asyc course 50 inch dia bears N 31 W  
 29 links dist; under an Elm 40 n n n S 35 E  
 56 n n Q. N. 29 1804

## South Belvan Sec. 28. &amp; 29

- 7.20 At Brook 10 links mid; course West  
 40.00 Set 1/4 Sec post from which a Sugar 18 in dia bears  
 N 58 W 18 links dist; under a Co 14 n n n  
 S 3 E. 50 n n  
 42.00 At Oak 14 in dia  
 46.70 At Red banks trace  
 48.22 Up Sugar 24 in dia  
 64.50 To Patoka Creek course S.M.  
 68.50 Across the creek dead water  
 80.00 Intersets 20 links South under 40 links East off post,  
 (imp. 1) from which at Oak 40 in dia bears N 88 W  
 39 links dist; under a B. Oak 18 n n n S 29 E  
 26 n n Wavy lands, rich soil; timber Red  
 Sugar &c

## West Belvan Sec. 29 &amp; 30 J. 1 S.M. 10 W.

- 8.50 To Patoka Creek course S.M. dead water.  
 11.00 Across Creek  
 40.00 Put 1/4 Sec post at average measure, from which a  
 Buck 10 in dia bears N 48 E 4 links dist; under a  
 Elm 10 n n n S 56 E. 5 n n



## T. No 1 DR No 10th 2nd Nov.

- 43.00 To Patoka Creek house N.W.  
 46.00 Across creek at ford  
 54.00 a Sick  
 65.40 To Red Bank Road  
 79.50 Ahorn house N.E.  
 80.00 Put temporary post in drain house N.E. Finish  
 flat Buck bottom, West of the Gravel Ridge and  
 good soil;

- South Bottom Oct. 29 & 30 T 1 DR 10 W.  
 27.34 Albuck 12 in dia  
 31.90 Patoka Creek, West, dead water.  
 34.00 Across Patoka  
 40.00 Put 1/4 sec post from which albuck 10 in dia bears  
 N 82 W 29 1/2 miles dist; under No 20 " "  
 N 3 E. 31 " "  
 59.40 A Coffea tree 12 in dia  
 80.00 Put up 6 miles South & 8 miles West of temporary  
 post; Put post corner of Oct. 29, 30, 31 & 32 from  
 which a 9 Buck 10 in dia bears N 57 E. 22 miles dist;  
 under Sugar 12 " " S 43 E. 36 " "  
 Finish rich upland; Finish flat rich bottom

- West Bottom Oct. 19 & 30 T 1 DR 10 W.  
 16.60 Albuck 5 miles mid; house N.W.  
 22.23 Albuck 12 in. dia  
 29.50 Albuck 6 miles mid; house South.  
 40.00 Put 1/4 sec post from which sugar - in dia bears  
 N 87 W. 19 miles dist; under Gum 15 " "  
 S 31 E. 30 " "  
 45.80 Albuck 12 in dia  
 56.38 A Locust 36 in dia  
 65.70 Albuck 12 miles mid; house South.  
 80.00 Put temporary post. Land level under rich; Finish  
 Buck, Sugar Elm, Walnut under ash.

- South Bottom Oct. 19 T 1 DR 10 W. & S 24 T 1 DR 11 W

## T. N. 1 S. R. N. 10 N. 2nd Mer.

- 3.00 Put post corner of Sec. 13 + 24 T. 1 S. R. 11 N. from which  
a Buck 14 in dia bears N 30 W. 30 links dist; under  
Ls. 14 " " S 51 W. 29 " "
- 4.50 All brooks 10 links corner S. E.
- 6.00 Corn field: 17.50 across field; corner West
- 23.13 W. Walnut 14 in dia
- 40.50 Put 1/4 Sec post, from which an Elm 12 in dia  
bears S 71 E 40 links dist; under R. Budo 9 " "  
" N 83 W. 30 " "
- 43.50 Put 1/4 Sec post for Range 11 West from which a  
Buck 14 in dia bears N 12 E. 40 links dist; under  
all Oak 10 " " S 5 W. 29 " "
- 56.50 All brooks 12 links. mile; corner S. E.
- 61.55 W. Ash 20 in dia
- 79.50 Intersect East + West line 456 links East of temp. 7  
post; Put post at Intersection of Sec. 19. + 30 T. 1  
S. R. 10 N. from which a Buck 12 in dia bears  
S 45 E. 45 links dist; under a Buck 10 " "  
S 71 W. 28 " " Sandpiper under; Timber  
Walnut, Ash, Hickory, Locust and Spruce + Buck 40

South Return Sec. 30 T. 1 S. R. 10 N. + Sec. 25 T. 1 S. R.  
11 N.

- 3.50 Put post corner to Sec. 24 + 25 T. 1 S. R. 11 N. from  
which a Buck 18 in dia bears W 30 N. 31 links dist;  
under all Oak 20 " " N. 4 W. 42 " "
- 11.36 To Patoka Creek, ash mat. corner West 13.50  
links across creek.
- 23.00 A Spruce 16 in dia
- 36.00 A Drain corner West
- 40.00 Set 1/4 Sec post from which a Sugar 12 in dia bears  
N 57 E 19 links dist; under an Elm 18 " "  
N 46 W. 26 " "
- 43.50 Put 1/4 Sec post for Range 11 West from which a Gum  
30 in dia bears S 65 W. 9 links dist; under a W. Walnut  
36 " " N 55 E 12 " "
- 45.86 A Hickory 12 in dia

## T. No 1 S. R. No 10 West 2nd Mer.

55.60 A Sugar 26 in. dia

63.00 W. Brook 10 links mid; Course N.E.

80.00 Put temporary post; Mary lands extending by with  
cont: Timber Sugar, Walnut, Ash, Elm, Oak, & Mul-  
berry

West Between Sec. 30 &amp; 31 T. 1 S. R. 10 W.

23.30 A Grain Course N.E.

27.77 W. Ash 20 in dia

34.00 W. Brook 10 links mid; Course N. E.

40.00 Put 1/4 sec post from which a Sugar 14 in dia bears N 3  
N. 30 links mid; and another 20 12 in - - S 56  
N 54 in -

53.40 A Sugar 15 in dia

60.10 W. Brook 3 links mid; Course N.W.

75.24 Intersects N & S line at temp. post; put post corner  
to Sec. 30 & 31 from which a Sugar 30 in dia bears  
N 39 N 30 links mid; and a W. Ash 12 in - -  
N 39 E 22 in - Land with Mary Timber Ash,  
Sugar &c measured East on line between Sec. 29 & 30  
Feb. 8 24 links then North 56 links to N.W. corner of  
Sovereigns land;

South Between Sec. 31 &amp; 32 T. 1 S. R. 10 W.

34.50 W. Brook 10 links mid; Course N.E.

38.00 A Grain Course N.E.

39.60 W. Hick 28 in dia.

40.00 Put 1/4 sec post from which a Hick 14 in dia bears  
N 47 E 12 links mid; and a W. Ash 14 in - -  
N 88 N 29 in -

71.70 W. Brook 6 links mid; Course N.E.

80.00 Put temp. post; Ridge lands same broken, with mid;  
Timber Sugar, Poplar, &c October 30 1804

South Between Sec. 32 &amp; 33 T. 1 S. R. 10 W.

12.60 An Elm 16 in dia

20.00 W. Brook 16 links mid; Course S.W.

## T. N. 1 S. R. No. 10 W 2nd Mo

- 40.00 Put '4 sec post from which a Gum 14 in dia bears  
 S44 E. 13 links dist; and a W. Oak 16 " " "  
 N31 E. 26 " "
- 53.84 A Poplar 40 in dia
- 63.10 A Brook 3 links wide; Course N.E.
- 80.00 Put temporary post under level, good soil; N<sup>th</sup> p. onto  
 bottom; East p. not lands; Timber Sugar, Elm, Wal-  
 nut, Ash, Poplar, & Spruce in foreground.

- South Potomac Sec. 33 & 34 T. 1 S. R. 10 W.
- 2.00 A Brook 6 links wide; Course N.E.
- 8.67 W. Oak 40 in dia
- 22.90 A Brook 4 links wide; Course West
- 40.00 Put '4 sec post from which a Brook 16 in dia bears  
 N85 W 16 links dist; and a L. 18 " " "  
 S60 E. 44 " "
- 43.20 A Brook 3 links wide; Course N.W.
- 46.56 A Poplar 30 in dia
- 78.00 W. Oak 18 in dia
- 80.00 Put temporary post; Range lands; including Ash  
 Timber Oak, Poplar, Hickory

- South Potomac Sec. 34 & 35 T. 1 S. R. 10 W.
- 11.10 A Gum 12 in dia
- 33.96 A Poplar 14 " "
- 40.00 Put '4 sec post from which a B. Oak 20 in dia  
 bears S46 E 3 links dist; and a Hickory 12 " "  
 " S52 W. 17 " " "
- 44.50 W. Oak 36 in dia
- 51.16 W. Hickory 12 " "
- 74.50 A Brook 1/2 links wide; Course East
- 80.00 Put temporary post; Land lies in foreground; including  
 Ash; Timber W. & B. Oak Hickory & Gum.

- South Potomac Sec. 35 & 36 T. 1 S. R. 10 W.
- 6.23 Course N.W. Aspinning
- 12.37 W. Oak 20 in dia

## T. N. 1 DR N. 10 W. 2nd Mer

- 26.65 W. Oak 22 in dia  
 40.00 Put  $\frac{1}{4}$  Sec post from which a W. Oak 20 in dia  
 bears N 22 $\frac{1}{2}$  E 30 links dist; and on No 18 " "  
 " S 19 $\frac{1}{2}$  E 55 " "  
 56.90 W. Hickory 12 in dia  
 63.65 " B Oak 30 " "  
 76.72 W. Gum 14 " "  
 80.00 Put temporary post; Sando Oak & Hickory Timbered ridge  
 some Gum & Poplar; middling soil for grain

- South On East boundary of Sec 36 T. 1 DR 10 W.  
 7.40 W. Oak 28 in dia  
 40.00 Put  $\frac{1}{4}$  Sec post from which an Elm 10 in dia bears  
 N 26 E 19 links dist; and on Oak 14 " "  
 S 56 $\frac{1}{2}$  16 " "  
 40.62 W. Oak 12 in dia  
 54.23 A Poplar 30 " "  
 61.38 On Elm 12 in dia  
 71.00 W. Birch & Bad water  
 80.00 Put post corner to Townships 1 & 2 South of Range  
 9 & 10 West from which a Locust 20 in dia bears  
 N 64 W 36 links dist; and a Gum 12 " "  
 N 81 E 21 " " Sando Flat Timber Oak, Ash,  
 Gum.

## South Boundary.

- West Range on South Boundary of Sec 36  
 21.50 A Grain N.E. corner from West  
 30.00 Same corner corner N.  
 40.00 Put  $\frac{1}{4}$  Sec post at average measure from which a  
 Maple 12 in dia bears S 75 E 26 links dist; and a  
 W Oak 24 " " N 5 W 25 " "  
 40.40 Same run corner South  
 44.70 Same " " N.  
 52.00 " " " corner South  
 53.00 Same run N.  
 80.40 Intersects N & S line 20 links North of Sec (temp) post  
 Put post corner of Sec. 35 & 36 T. 1 DR 10 W. & Sec. 1 & 2





T. 1 S. R. 10. W. 2<sup>d</sup> Mer Ind.

ch. LKS.

- 24.20 A Drain course S.
- 40.00 Set of Sec Post from which  
a Sugar 20 in dia b<sup>d</sup> S 37 1/2 W 24 LKS
- A Mulberry 12 " " " S 80 E 17 " "
- 42.40 A Brook 3 LKS wide course S. W.
- 44.60 A do 6 " " " N. W.
- 68.00 A do 20 " " " N. W.
- 80.05 Intersect N. & S. line 40 LKS N. of Temp  
post. Set Post for to Sec 32 & 33 from which  
a Sugar 12 in dia b<sup>d</sup> S 34 W 15 LKS
- A Buckeye 12 " " " N 41 E 11 " "
- Land & same.

---

West. Qu. S. Boundary of Sec 32.

- 24.40 A Drain course N. E.
- 32.00 A do " " N.
- 40.00 Set of Sec Post from which  
a W. Ash 24 in dia b<sup>d</sup> S 60 W 20 LKS
- a Sassafras 14 " " " N 44 E 39 " "
- 76.00 A Drain 11 LKS wide course N. W.
- 80.20 Intersect N. & S. 45 LKS N. of Temp  
post. Set Post for to Sec 31 & 32. from which  
a Hickory 10 in dia b<sup>d</sup> S 66 W 37 LKS
- A do 12 " " " S 11 E 45 " "
- Land & same.

---

West. Qu. S. Boundary of Sec 31.

- 11.40 A Brook 3 LKS wide course N. W.
- 31.20 A do 3 " " " S. E.
- 38.30 Red bank Road.
- 40.00 Set of Sec Post from which  
a Sugar 9 in dia b<sup>d</sup> S 61 E 12 LKS
- a Hophorn 12 " " " N 52 W 24 " "
- 53.40 A Brook 3 LKS wide course S. W.
- 64.00 A do 4 " " " N. W.

T. / S. R. 10. W. 2<sup>a</sup> Mer End<sup>a</sup>,  
 80.00 Set temp Post. Cor to Towns,  
 Same as Same,  
 E. Buckingham J. D. S.

Part of N. Boundary.

Var. —  
 South Co. E. Boundary of Sec 36, T. / S. R. 11. W.  
 3.50 Set Post Cor to Sec 25 & 36 T. / S. R. 11. W.  
 3.70 a Brook 3 lks wide Course W.  
 19.80 a do 6 " " " W.  
 25.50 a Poplar 24 in dia,  
 33.45 a Brook 6 lks wide Course W.  
 40.00 Set of Set Post from which  
 a Sugar 18 in dia b P N 34 E 6 lks &  
 a W. Ash 12 " " " West 30 " ,  
 43.50 Set of Set Post in T. / S. R. 11. W.  
 47.90 a B. Walnut 24 in dia,  
 48.50 a do 24 " " ,  
 48.50 a Brook 3 lks wide Course W.  
 63.05 a Hickory 12 in dia,  
 71.50 a Drain Course S. W.  
 77.50 a Brook 6 lks wide Course NW.  
 80.00 Intersect S. Boundary 460 lks E. of  
 Temp post. & 20 lks S. Set Post  
 Cor to Towns 1 & 2. S. Range 10 & 11 W. from which  
 a Sugar 16 in dia b P N 20 W 20 lks &  
 a Spruce 22 " " " S 2 W 26 " ,  
 E. Buckingham J. D. S.

North Boundary.

Var. —  
 Base Line,  
 Met On N. Boundary of Sec 1,  
 7.30 a Brook 8 lks wide Course SE,  
 31.26 a Hickory 20 in dia,

F. I. G. R. 10 W. 2<sup>a</sup> New Land<sup>a</sup>,  
ch. 2<sup>nd</sup> S.

40.00 Set of the Post from which  
a Beech 24 in dia bP S 17 to 38 W 38  
Alum 18 " " " N 43 E 39 " "

79.60 a Beech 16 " " "

80.00 Set Post for to Sect 2 from which  
a Beech 15 in dia bP N 49 to 28 W 38  
a Poplar 16 " " " S 42 to 18 " "  
Sand Ridgy. Timber Beech  
Oak, poplar & Hickory. and  
Spice & Dogwood.

West On N Boundary of Sec 2,

2.10 a Brook 16 lks wide Course S,

7.20 Alum 18 in dia,

16.20 a Brook 4 lks wide Course S,

19.20 a do 4 " " " S. E,

35.10 a Road Course S. 30 W,

39.20 a Sugar 20 in dia,

110.00 Set of the Post from which  
a Beech 8 in dia bP S 51 to 25 W 38  
a Sugar 14 " " " N 35 W 29 " "

43.60 a Brook 8 lks wide Course S,

51.00 a do 4 " " " S,

73.60 a do 4 " " " S,

73.82 a Beech 18 in dia,

80.00 Set Post for to Sect 2 & 3 from which  
a Sugar 9 in dia bP N 12 E 25 W 38  
a do 7 " " " S 10 E 24 " "  
Sand uneven Soil good. Timber  
oak & hickory.

West On N. Boundary of Sec 3,

8.40 a Brook 6 lks wide Course S,

16.60 a do 8 " " " S,

17.88 a Poplar 30 in dia,



F. I. S. R. 10. W. 2<sup>nd</sup> Mer End "

chkd.	
22.30	a Run 4 lks wide course S,
35.90	a Beech 30 in dia,
36.70	a Brook 8 lks wide course S. 30 E,
40.00	Set of the Post from which a Sugar 10 in dia bP N 30 1/2 E 10 lks x a Run 12 " " " S 47 1/2 E 20 " ,
48.10	a Brook 6 lks wide course S. E,
59.10	a Hickory 20 in dia,
80.00	Set Post for to Set 3 & 4 from which a N. Ash 12 in dia bP N 51 E 17 lks x a do 12 " " " S 56 W 28 " , Land & a Same,

Nest	On N. Boundary of the 4,
.87	a B. Walnut 22 in dia,
22.90	a Brook 8 lks wide course N. E,
40.00	Set of the Post from which a Beech 12 in dia bP S 83 W 39 lks x a do 12 " " " N 24 1/2 E 33 " ,
59.65	a B. Walnut 22 in dia,
80.00	Set Post for to Set 4 & 5 from which a Beech 12 in dia bP S 78 E 29 lks x a do 16 " " " S 80 W 38 " , Land Soil & rich, Timber & Same,

Nest	On N. Boundary of the 5,
34.36	a Beech 16 in dia,
40.00	Set of the Post from which a Poplar 40 in dia bP N 84 W 28 lks x a do 40 " " " N 12 1/2 E 40 " ,
60.90	a Locust 48 " " ,
64.00	a Beech 16 " " ,
71.60	a Run 40 lks wide course N,
80.00	Set Post for to Set 5 & 6 from which a Beech 10 in dia bP N 62 W 7 lks x



T. 1 S. R. 10 W. 2<sup>nd</sup> Mer Ind.<sup>a</sup>  
 ch. 20.

a Beech 30 in dia b<sup>p</sup> S 22 1/2° E 23 lks.  
 Land. middle level & rich  
 Timber &c Same.

West On N Boundary of Sec 6,  
 1,60 a Road from Vincennes to Red Bank.  
 12,38 a Beech 24 in dia.  
 13,26 a Brook 6 lks wide. flows N 2 ch<sup>p</sup>  
 from W. & then S;  
 40,00 Set of Sec Post from which  
 an Ash 24 in dia b<sup>p</sup> S 50. W. 57 lks  
 a Beech 18 " " " N 74 1/2° E 33 " "  
 56,10 a do 20 " " "  
 77,10 a Poplar 40 " " "  
 80,00 Set Post for to Towns 1 S R 10-11 W.  
 from which a Beech 10 in dia b<sup>p</sup>  
 N 86 1/2° W 49 lks & a Sugar 20 " " "  
 N 5-78 44 " " Land &c Same,  
 O. Buckingham Jr. D.S.

Surveyor General's office,  
 Detroit April 15, 1846.

I certify that the  
 foregoing Transcripts of the field notes  
 of Township 1 South Range 10 West of  
 2<sup>nd</sup> Mer. Ind.<sup>a</sup> has been compared  
 with the original notes in this office  
 & found to be correct.